

B

INDEX MAPS.

T. 11N. R. 12E. 2nd Mer.

5-8	5-7	6-7	6-7	6-7	6
10 6 33	5 32	4 32	3 31	2 31	1 5
33	34-33	30-32	30-32	30-31	30
9 7 29	8 28	9 27	10 27	11 27	12 4
29	25-28	25-28	26-27	26	26
9 18 25	17 24	16 23	15 22	14 22	13 4
24	21-24	21-23	21-23	21-22	22
9 19 20	20 19	21 19	22 18	23 18	24 4
20	16-20	17-19	17-19	17-18	17
8 30 16	29 16	28 15	27 15	26 11	25 4
13	13-16	14-15	14-15	14	11
8 31 13	32 12	33 12	34 11	35 10	36 3
1-3	1-3	1-2	1-2	1-2	2

T. 12N. R. 12E. 2nd Mer.

42-44	42-44	42-44	43-44	43-44	43
46 6 70	5 69	4 69	3 68	2 67	1 39 42
70	66-70	66-69	66-68	67-68	67
46 7 66	8 65	9 64	10 61	11 61	12 39 41
65	63-65	63-65	64	60-61	60
46 18 63	17 62	16 60	15 59	14 59	13 40 41
62	57-62	58-62	58-59	58-59	58
45 19 57	20 56	21 55	22 55	23 54	24 40 41
57	53-56	53-56	53-55	54-55	54
45 30 53	29 51	28 50	27 50	26 48	25 40 41
52	52-71	51	49-50	49	47-48
45 31 52	32 50	33 49	34 48	35 47	36 40 41
37-39	37-39	37-38	37-38	37-38	38

(P) The figures on the lines refer to the page.

Township 12 North, Range 12 East 2nd Mer. Ind. ^{ce}

Chs. Lk. Township Lines.

South Boundary.

Oct. 6th 1810.

Var. — E.

East On S. Side of Sec. 31. Random Line

35.00 Set temp. gr. sec. post.

57.50 a Brook 6th wide Course N.

75.00 Set temp. post cor. to sec. 31 & 32.

Willy Beech Land.

East On S. Side of Sec. 32.

40.00 Set temp. gr. sec. post.

50.00 Set temp. post cor. to sec. 32 & 33.

Rich hill side. Sugar
Beech Elm.

East On S. Side of Sec. 33.

37.00 a Creek 50th wide Course S.

40.00 Set temp. gr. sec. post.

75.00 a Creek 100th wide Course N.E.

80.00 Set temp. post cor. to sec. 33 & 34.

Rich Bottom. Sugar, Ash, Elm.

East On S. Side of Sec. 34.

13.50 a Brook 3th wide Course N.

36.00 a Do. 3 " " " N.

40.00 Set gr. sec. post. temp.

51.50 a Brook 3th wide Course N.

80.00 Set post temp. cor. to sec. 34 & 35.

Willy Broken Land. Sugar Beech Oak.

East On S. Side of Sec. 35.

16.00 a Brook 3th wide Course N.

40.00 Set temp. gr. sec. post.

51.00 a Brook 10th wide Course N.

76.00 a Do. 10 " " " N.

80.00 Set post (temp.) cor. to sec. 35 & 36.

S. 12 N. Sec. 12 E. 2nd Mer. Ind^g

ch. 1/2nd Millly broken rich land. Timber
Sugar, Beech, Oak &c.

East On S. Side of Sec. 36.

36.00 a Brook 3 1/2th wide C. N.

40.00 Set gr. Sec. post, temp.

50.00 To River Course S.E.

80.00 Tell 125 1/2th South of the Corner to
Towns 11 & 12 in Ranges 12 & 13 East.

West On S. Side of Sec. 36. Correct Line.

40.00 Set gr. Sec. post, from which

a Beech 14 in. dia. bears N 37 E. 9 1/2th dist. &

a Sugar 24 " " " N 89 W. 21 " "

80.00 Set post Cor. to Secs 35 & 36, from which

a Beech 16 in. dia. bears N 81 E. 10 1/2th dist. &

a Do. 12 " " " S 41 W. 19 " "

West On S. Side of Sec. 35.

40.00 Set gr. Sec. post, from which

a Beech 10 in. dia. bears N 45 W. 8 1/2th dist. &

a Beech 14 " " " N 12 E. 13 " "

80.00 Set post Cor. to Secs 34 & 35, fr. wh.

a Beech 16 in. dia. bears N 51 E. 26 1/2th dist. &

a Tupafra 12 in. " " S 21 W. 11 " "

West On S. Side of Sec. 34.

40.00 Set gr. Sec. post, from which

a Beech 14 in. dia. bears N 2 E. 5 1/2th dist. &

a Do. 14 " " " S 70 W. — —

80.00 Set post Cor. to Secs 33 & 34, fr. wh.

a Beech 14 in. dia. bears N 81 W. 14 1/2th dist. &

a Do. 20 " " " N 85 E. 36 " "

West On S. Side of Sec. 33.

40.00 Set gr. Sec. post, from which

T. 12 N. R. 12 E. 2nd Mer. Ind^{ce}

40.00 a Wh. Oak 28 in. dia. bears N 79 E. 22 Ch. dist.
 a Buckeye 12 " " " S 73 W. 40 " "
 50.00 Set post cor. to sec. 32 & 33, from which
 a Sugar 6 in. dia. bears S 60 W. 13 Ch. dist. &
 a Sugar 12 " " " N 88 E. 24 " "

West Corner S. Side of sec. 32.

40.00 a Beech 24 in. dia. bears S 45 W. 1 Ch. dist.
 50 a Do. 14 " " " S 44 E. 54 " "

" " These are the q. post bearings.

50.00 Set post cor. to sec. 31 & 32, from wh.
 a Beech 12 in. dia. bears N 64 E. 10 Ch. dist.
 a Do. 10 " " " S 60 W. 18 Ch. dist.

West On S. Side of sec. 31.

40.00 Set q. sec. post, from which
 a Beech 10 in. dia. bears S 5 E. 21 Ch. dist.
 a Do. 10 " " " N 51 W. 24 " "

45.00 Corner to Towns 11 & 12, Ranges 11 & 12
 a Sugar 10 in. dia. bears N 51 E. 21 Ch. dist. &
 a Sugar 15 " " " S 32 W. 35 " "

Surveyed in 1810.

Wg

A. Holmes Dep. Sur.

East Boundary.

South On E. Side of sec. 1. Random Line.

8.00 a Brook 13 Ch. wide Course N.

39.50 a Do. 3 " " " W.

40.00 Set q. sec. post, from which (temp.)

45.00 a Brook 4 Ch. wide Course W.

72.50 a Do. 3 " " " W.

80.00 Set temp. post cor sec. 1 & 12.

1st part Good Beech Land, 2nd part
 illy Beech Land.

South On E. side of sec. 12.

40. T. 12 N. No. 12 E. 2nd Mer. Ind^c

40.00 Set temp. gr. Sec. post.
41.50 a Brook 3rd wide Course W.
41.50 a Do. 3 " " " W.
72.00 a Spring Course W.
80.00 Set temp. post Cor. to Sec. 12 & 13.
Beech Land Broken

South On E. Side of Sec. 13.

.25 a Spring Course S. W. Hilly Land
17.00 a Creek 10th wide Course E.
40.00 Set gr. Sec. post temp. Tim. Oak, Beech
79.50 a Brook 5th wide Course E.
80.00 Set temp. post Cor. to Sec. 13 & 24.

South On E. Side of Sec. 24.

28.00 a Creek 50th wide Course S. W.
40.00 Set gr. Sec. post temp. Past good Bottom.
58.00 a Brook 3rd wide Course W.
80.00 Set temp. post Cor. to Sec. 24 & 25.
Hilly Oak Land.

South On E. Side of Sec. 25.

25.00 a Brook 3rd wide Course W.
40.00 Set temp. gr. Sec. post.
45.00 a Brook 3rd wide Course W.
60.00 a Do. 3 " " " W.
80.00 Set temp. post Cor. to Sec. 25 & 36.
Hilly Land. Timb. Beech, Oak Junce.

South On E. Side of Sec. 36.

6.00 a Brook 5th wide C. W.
40.00 Set temp. gr. Sec. post.
50.00 a Brook 100th wide C. E.
80.00 Hall 3rd E. of Township Corner.
Hilly Rich Land Tim. Oak and first
rate Bottom timb. Sugar Walnut & Ash.
Oct 13th 1910

T. 12 N. R. 12 E. 2nd Mer. Sud. 41.
Ch. 10.

North On E. side of sec. 36. Correct Line
40.00 Set gr. sec. post, from which
an Ash 16 3/4 in. dia. bears S 1/4 E 1/4 1/2 ch. dist. and
a Sugar 8 in. dia. bears S 1/4 W 1/2 ch. dist.
80.00 Set post Cor. to Sec. 25 & 36, from which
a Sugar 30 in. dia. bears S 1/4 E 1/4 1/2 ch. dist.
a Gum 14 " " " N 6 3/4 W 1/4 1/2 " "

North On E. side of sec. 25.
40.00 Set gr. sec. post, from which
a Beech 24 in. dia. bears S 1/4 W 1/2 ch. dist.
a DO. 12 " " " S 1/4 E 1/4 " "
80.00 Set post Cor. to Sec. 24 & 25, from which
a Dogwood 6 in. dia. bears S 1/4 E 1/4 1/2 ch. dist.
a Sugar 15 " " " N 1 3/4 W 1/4 1/2 " "

North On E. side of sec. 24.
40.00 Set gr. sec. post, from which
a Hickory 8 in. dia. bears N 4 3/4 E 1/2 ch. dist. &
a Buckeye 10 in. dia. " S 2 3/4 W 1/4 1/2 " "
80.00 Set post Cor. to Sec. 13 & 24, from which
a Wh. Oak 12 in. dia. bears N 4 1/4 W 1/4 1/2 ch. dist. &
an Ironwood 9 in. dia. " S 9 W 1/4 1/2 " "

North On E. side of sec. 13.
40.00 Set gr. sec. post, from which
a Wh. Oak 3 1/2 in. dia. bears N 8 1/2 E 1/2 ch. dist.
a Beech 4 " " " S 1/4 W 1/2 " "
80.00 Set post Cor. to Sec. 12 & 13, from which
a Gum 18 in. dia. bears S 1/4 E 1/2 ch. dist. &
a Beech 14 " " " N 3 3/4 E 1/2 1/2 " "

North On E. side of sec. 12.
40.00 Set gr. sec. post, from which
a Gum 18 in. dia. bears N 1/4 E 1/2 ch. dist. &
a Beech 14 " " " S 1/4 W 1/2 ch. dist.

S. 12 N. T. 12 E. 2nd Mer. Ind. C.
 80.00 set post Cor. to Sec. 1 & 12, p. int.
 a Beech 8 in. dia. bears N 22 E 40 lb. dist.
 a Do. 10 " " " N 79 W 51 " "

North On E. side of Sec. 1.

40.00 Set gr. Sec. post. from which
 a Poplar 40 in. diam. bears S 48 W 14 lb.
 a Beech 18 in. dia. " N 8 E 36 lb. dist.

80.00 Set post Cor. of Towns. 12 & 13 in
 Ranges 12 & 13 East, from which
 a Beech 24 in. dia. bears N 63 E 4 lb. dist.
 a Do. 8 " " " N 70 W 28 " "
 Surveyed in 1810.

By A. Holmes, Dep. Sur.

North Boundary.

Oct. 11th 1810.

Var. _____

East On S. side of Sec. 31. T. 13 N. R. 12 E. Random line
 30.00 a spring course N. Broken Beech land
 40.00 Set temp. gr. Sec. post.
 65.00 a Spring course N.
 80.00 set temp. post Cor. to Sec. 31 & 32.
 Poor Beech land.

East On S. side of Sec 32. T. 13 N. R. 12 E.

.50 a Brook 4 lb. wide course N.

40.00 Set temp. gr. Sec. post.

62.50 a Brook 3 lb. wide course N. E.

79.90 a Do 6 " " " S. E.

Poor Beech. land.

80.00 Set temp. post Cor. to Sec. 32 & 33.

East On E. side of Sec. 33. T. 13 N. R. 12 E.

40.00 Set gr. Sec. post. temp.

73.50 a Brook 15 lb. wide course S. E.

80.00 Set temp. post Cor. to Sec. 33 & 34.

T. 12 N. Sec. 12 E. 2nd Mer. Ind. 43.

ch. 4th. Good Beech Land.

East On S. side of sec. 34. T. 13 N. R. 12 E.
40.00 set temp. post in Creek 100 lb. wide
Course S. E.
62.00 To a River Crs. S. W. and kept up it.
70.00 Left River to the North.
80.00 set post cor. to sec. 34 & 35.
First rate river Bottom Timber
Walnut Ash Cherry &c.

East On S. side of sec. 35. T. 13 N. R. 12 E.
40.00 set temp. gr. sec. post. Good Beechland
42.00 a Brook 3 lb. wide Course N. W.
80.00 set post cor. to Sec. 35 & 36.
Poor Beech Land.

East On S. side of sec. 36. T. 13 N. R. 12 E.
7.50 a Brook 5 lb. wide Course N.
15.00 a Do. 5 " " " N. W.
40.00 set temp. post.
52.00 a Brook 3 lb. wide Course N.
73.00 a Do. 4 " " " N.
75.00 a Do. 4 " " " N.
80.00 Set post cor. of Towns 12 & 13, Ranges
12 & 13 East.
Uneven Beech Land.

West On S. side of sec. 36. T. 13 N. R. 12 E. ^{Correct Line.}
40.00 set gr. sec. post. from which
a Beech 20 in. dia. bears South 20 lb. dist.
a Do. 20 " " " N 60 W, 21 " "
80.00 set post cor. to Sec. 35 & 36, fr. wh.
a Beech 16 in. dia. bears N 63 E. 18 lb. dist. &
a Do. 17 " " " N 47 W, 20 " "

T. 12 N. R. 12 E. 2nd Mer. Ind. ^o
 42 1/2

West On S. side of sec. 35. T. 13 N. R. 12 E.
 a Beech 18 in. dia. bears S 20 W. 17 lks. dist.
 a Do. 18 " " " N 85 E. 46 " "
 80.00 Set post Cor. to Sect. 34 & 35, fr. wh.
 a Beech 18 in. dia. bears S 47 W. 16 lks. dist. &
 a Do. 16 " " " N 30 E. 36 " "

West On S. side of sec. 34. T. 13 N. R. 12 E.
 40.00 Set q. sec. post, from which
 a Boxelder 16 in. dia. bears N 28 E. 44 lks. dist.
 a Do. 12 " " " N 64 W. 45 " "
 80.00 Set post Cor. to Sect. 33 & 34, fr. wh.
 a Beech 12 in. dia. bears S 49 W. 7 lks. dist.
 a Beech 16 " " " N 75 E. 12 " "

West On S. side of sec. 33. T. 13 N. R. 12 E.
 40.00 Set q. sec. post, from which
 a Beech 16 in. dia. bears S 58 W. 14 lks. dist.
 a Wh. Oak 16 " " " N 81 E. 23 " "
 80.00 Set post Cor. to Sect. 32 & 33, fr. wh.
 a Beech 24 in. dia. bears N 58 W. 24 lks. dist.
 a Do. 16 " " " N 12 E. 38 " "

West On S. side of sec. 32. T. 13 N. R. 12 E.
 set q. sec. post, fr. wh.
 40.00 a Beech 8 in. dia. bears N 60 E. 9 lks. dist. &
 a Do 12 in. " " " N 47 W. 10 " "
 80.00 Set post Cor. to Sect. 31 & 32, fr. wh.
 a Beech 8 in. dia. bears N 60 E. 5 lks. dist. &
 a Do. 16 " " " N 87 W. 21 " "

West On N. side of sec. 31. T. 13 N. R. 12 E.
 40.00 Set q. sec. post, from which
 a Poplar 50 in. dia. bears East 12 lks. dist. &
 a Beech 24 " " " West 26 " "
 80.00 To Town Corner.

T. 12 N. R. 12 E. 2nd Mer. Ind^a

cont. 2nd West Boundary.

Var. —

North On E. side of Sec. 36. T. 12 N. R. 12 E.

16.00 a Beech 16 in. dia.

28.50 a Brook 25 ft. wide Course E.

40.00 Set gr. sec. post. from which

a Beech 12 in. dia. bears N 88 E. 7 ft. dist. X

a Do. 12 " " " N 40 W. 35 " "

65.00 a Brook 3 ft. wide Course E.

80.00 Set post Cor. of Sec. 25 & 36 ^{in a spring} from which

a Poplar 24 in. dia. bears S 82 W. 10 ft. dist. X

a Do. 24 " " " N 68 E. 29 " "

Willy Oak Land.

North On E. side of Sec. 25. T. 12 N. R. 12 E.

3.50 a Brook 3 ft. wide Course E.

23.00 a Do. 3 " " " E.

40.00 Set gr. sec. post. from which

a Beech 16 in. dia. bears S 62 W. 20 ft. dist. X

a Do. Oak 30 " " " N 6 E. 20 " "

45.00 a Brook 3 ft. wide Course E.

55.00 a Do. 3 " " " E.

79.00 a Cyn. Oak 17 in. diam.

80.00 Set post Cor. to Sec. 24 & 25. (in a

Creek 30 ft. wide running S. E.) from

an Elm 15 in. dia. bears N 9 W. 22 ft. dist.

a Sugar 16 " " " N 89 E. 48 " "

Willy Land. Hickory, Beech &c.

North On E. side of Sec. 24. T. 12 N. R. 12 E.

7.00 — Creek above

17.00 a Brook 3 ft. wide Course W.

40.00 Set gr. sec. post. from which

a Beech 12 in. dia. bears S 89 E. 11 ft. dist. X

a Do. 6 " " " N 79 W. 19 " "

77.50 a Brook 4 ft. wide Course E.

T. 12 N. R. 12 E. 2nd Mer. Ind. Co.

50.00 Set post Cor. to Sec. 12 & 24, fr. wh.
 a Beech 16 in. dia. bears S 74 W. 19 Ch. dist.
 a Do. 18 " " " N 45 E. 42 " "
 Poor Beech Land.

North on E. side of Sec. 13. T. 12. N. R. 11 E.

22.00 a Brook 3 Ch. wide C. E.

40.00 Set gr. sec. post. from which
 a Sugar 12 in. dia. bears S 5 E. 12 Ch. dist.
 & a Do. 5 " " " N 40 W. 14 " "

47.00 a Brook 4 Ch. diam. C. E.

75.00 a Do. 5 " wide C. E.

80.00 Set post Cor. to Sec. 12 & 13, fr. wh.
 a Beech 8 in. dia. bears N 71 E. 10 Ch. dist. &
 a Do. 30 " " " S 76 W. 25 " "
 Level Beech Land.

North on E. side of sec. 12. T. 12 N. R. 11 E.

2.00 a Brook 10 Ch. wide Course S. E.

35.00 a Do. 8 " " " S. E.

40.00 Set gr. sec. post. from which
 a Hickory 12 in. dia. bears S 6 E. 16 Ch. dist.
 a Hickory 12 " " " N 13 W. 20 " "

58.50 a Spring Course E.

67.50 a Do " E

77.90 a Brook 3 Ch. wide C. E.

80.00 Set post Cor. to Sec. 11 & 12, fr. wh.
 a Beech 10 in. dia. bears South 26 Ch. &
 a Sugar 14 " " " N 62 E. 29 " dist.
 Good Beech Land.

North on E. side of Sec. 1. T. 12 N. R. 11 E.

28.50 a Spring C. N. W.

30.00 a Do C. N. E.

40.00 Set gr. sec. post. from which
 a Beech 24 in. dia. bears S 80 W. 12 Ch. dist. &

T. 12 N. R. 12 E. 2nd Mer. Sec. 2.

- 42.50 a black 60 lb. wide crs. S.E. 2 hills rich land.
 47.00 a Do. 3 " " " W. Beech Poplar &c.
 49.00 a Sugar 17 in diam.
 42.50 a Spring Course W.
 72.00 a Brook 3 lb. wide Course W.
 75.00 a Spring Course W.
 80.00 Set post cor. to Towns 12 & 13 N. 16. 11 & 12 E.
 from which
 a Sugar 24 in. dia. bears S 60 W. 7 lb. dist. &
 a Poplar 30 " " " N 70 E. 8 " "
 Surveyed in 1810.
 Wm A. Holmes, Dep. Sur.

Subdivisions.

Decr 8th 1810.

Var. ---

North Between Sec. 35 & 36.

- 27.50 a B. Gum 15 in. dia.
 36.70 To White Water 275 lb. wide crs. N. 63 E.
 40.00 Set gr. sec. cor. on
 a Honey Locust 12 in. diam.
 72.00 a Bl. Oak 12 in. diam.
 80.00 Set post cor. to sec. 25, 26, 35 & 36, from wh.
 a Hackberry 8 in dia. bears N 74 W. 20 lb. dist.
 & Do. 8 " " " S 41 E. 17 " "
 S. 1/2 Over hill 3rd rate land. Timber Oak
 Beech and Poplar. The North half
 over level 1st rate Bottoms. Tim.
 Bl. Ash Walnut and Sugar Spice
 and &c.

East Cor. Maudam betwⁿ sec. 25 & 36.

- 39.80 Crooked Duck Creek 50 lb. wide
 Course S 60 E.
 40.00 Set temp. gr. sec. post.
 79.62 Intersect E. boundary 8 lb. S. of post.

48. S

S. 12 N. W. 12 E. 2nd Mer. Sud $\frac{a}{n}$
 ch. 46?

Over hilly $\frac{3}{4}$ rate land. Timb.
 Oak Sugar and Hickory.

West Corner line Between Sec. 25 & 26.

37. 86 Set g. sec. post. from which
 a Sugar 12 in. dia. bears N 66 E. 27 Ch. dist.
 a Hickory 6 " " " S 69 W. 14 " "
 79. 62 Sec. Cor.

North Between Sec. 25 & 26.

13. 90 a B. - 18 in. diam.

40. 00 Set g. sec. post. from which
 a B. 18 in. dia. bears N 47 W. 23 Ch. dist. X
 a B. 20 " " " S 60 E. 29 " "

67. 20 a Hickory 15 in. diam.

71. 50 a stream 20 Ch. wide runs S. E.

80. 00 Set post Cor. to Sec. 23, 24, 25 & 26.
 a Sugar 12 in. dia. bears N 54 W. 23 Ch. dist. X
 a Beech 6 " " " S 27 W. 9 " "

Over 2nd rate land, considerable
 broken Timb. Oak, Beech Sugar
 Poplar and Ash.

North Between Sections 34 & 35.

24. 00 To Salt Creek 100 Ch. wide C. E.

29. 85 a Blackberry 10 in. diam.

40. 00 Set g. sec. post. from which
 a Beech 12 in. dia. bears S 36 E. 14 Ch. dist. X
 a Do. 8 " " " N 6 W. 16 " "

57. 00 a Poplar 3 feet in diam.

80. 00 Set post Cor. to Sec. 26, 27, 34 & 35, fr. wh.
 a Beech 12 in. dia. bears S 49 E. 13 Ch. dist.
 a Beech 10 " " " N 40 W. 15 " "

This mile Over level good land.
 Tim. Beech, Poplar Oak Sugar and
 Ash.

49.

S. 12 N. R. 12 E. 2nd Mer. Ind "

Ch. Pk.

East On Random between Sect. 26 & 35.

40.00 Set gr. Sec. post. temp.

51.00 The W. Fork of W. Water runs S. 11 E.

79.70 Well 12 lb. S. of post.

Over Level Bottom land. Timb.
Ash Sugar, and Walnut.

West Correct line between Sect. 26 & 35.

39.35 Set gr. Sec. post. from which
a Sugar 15 in. dia. bears S 54 W, 12 lb. dist.
a Blackberry 15 in. " " N 15 E, 19 " "

79.70 Section Corner.

North Between Sections 33 & 34.

3.20 a Creek 95 lb. wide Crs. N. E.

22.53 a Sugar 18 in. diam.

40.00 Set gr. Sec. post. from which
a Beech 12 in. dia. bears S 60 E, 28 lb. dist.
a Do. 15 " " " N 64 E, 28 " "

Level Bottom land. Timb. Bl. Ash,
Sugar, and Walnut.

62.30 a Beech 15 in. diam.

80.00 Set post Cor. to Sect. 27, 28, 33 & 34.
a Sugar 15 in. dia. bears S 52 E, 20 lb. dist.
a Buckeye 14 " " " N. 10 lb. dist.
Mill 3rd rate. Land. Timb.
with Oak Beech Poplar and
Sugar.

East On Random Between Sect. 27 & 34.

40.00 Set temp. gr. sec. post.

79.84 Intersect W. L. line 7 lb. N. of post.
Over 2nd rate soil some what
broken. Oak Beech P. Ash &
Sugar.

50. S. 12 N. R. 12 E. 2nd Mer. Ind^o.

North Between Sections 26 & 27.

25.50 To W. Water runs N.E.

40.00 Set gr. sec. post. from which
a Blue Ash 20 in. dia. bears N 66 E. 32 lb.
a Blackberry 12 " " " N 37 E. 29 "

67.50 a B. Gum 12 " "

80.00 Set post cor. to Secs. 22, 23, 26 & 27.
an Elm 15 in. dia. bears S 34 E. 33 lb. dist.
a Beech 14 " " " N 50 W. 22 " "

This mile over 3rd rate land.
The River Bottom narrow. The
upland uneven Tim. Oak Beech
Poplar And Sugar.

West correct line between Secs. 27 & 34.

39.92 Set gr. sec. post. from which
a Beech 10 in. dia. bears S 66 E. 12 lb. dist. &
a Beech 12 " " " N 76 W. 20 " "

79 84 Section corner.

North Between Secs. 27 & 28.

10.56 a Blackberry 18 in. dia.

40.00 Set gr. sec. post. from which
a Bl. Walnut 8 in. dia. bears S 8 E. 15 lb. &
a W. Do. 12 " " " N 60 E. 20 " dist.

60.80 a Beech 12 in. diam.

80.00 Set post cor. to Secs. 21, 22, 27 & 28.
a Sugar 15 in. dia. bears S 76 E. 15 lb. dist.
a Do. 10 " " " N 86 W. 14 " "

This mile over level 1st rate
land. Timb. Ash, Walnut, Sugar
and some Poplar.

North Between Sections 32 & 33.

3.00 a Gum 50 lb. wide C. E.

28.10 a Bl. Oak 14 in. diam.

S. 12 N. R. 12 E. 2nd Mer. Ind ^{51.}

- 40.00 Set gr. Sec. post. from which
a Beech 24 in. dia. bears N 64 E. 6 1/2 lks. dist. &
a H. Oak 12 " " " S 39 W. 45 " "
69.40 a Wh. Oak 10 in. diam.
80.00 Set post Cor. to Sec. 28, 29, 32 & 33, fr. wh.
a B. Gum 14 in. dia. bears N 64 E. 23 lks. dist. &
a Hickory 10 " " " N 3 E. 25 " "
Over hilly 3rd rate land. Timber
Oak Hickory Poplar and Hickory.
-

East On Randoms between Sec. 28 & 33.

- 40.00 Set temp gr. Sec. post.
73.25 a stream 12 lks. wide runs N.
80.04 Intersect N & S. line 14 lks. N. of post.
This mile Over hilly 3rd rate land
Timber Oak Beech Poplar and Sugar.
-

West Corner line between Sec. 28 & 33.

- 40.02 Set gr. Sec. post. from which
a Hickory 12 in. dia. bears S 54 E. 4 lks. dist.
& a Beech 14 " " " N 16 W. 33 " "
81.14 Section Corner.

Dec. 10th 1810.

North Between Sections 28 & 29.

- 11.40 a Poplar 30 in. diam.
40.00 Set gr. Sec. post. from which
a Beech 8 in. dia. bears S 23 W. 11 lks. dist.
a Hickory 12 " " " N 5 lks. dist.
59.80 a Sugar 15 " "
61.00 a small stream runs N 20 E.
80.00 Set post Cor. to Sec. 20, 21, 28 & 29, fr.
a B. Ash 8 in. dia. bears S 60 W. 7 lks. &
an Elm 12 " " " S. 17 lks. dist.
This mile Over hilly 3rd rate land
Oak Beech Poplar & Sugar.

52. S. 12 N. R. 12 E. 2nd Mer. Ind^a

North Between Sections 31 & 32.

23.00 a Run 45 lb. wide S 78 E.

40.00 Set gp. sec. post. from which
a Sugar 8 in. dia. bears S 78 E. 10 lb. &
a Do. 6 " " " S 32 W. 9 lb. dist.

57.25 a Hickory 20 in. dia.

77.00 a stream 18 lb. wide C. S. E.

80.00 set post con. to Sec. 29, 30, 31 & 32, —
a Beech 10 in. dia. bears N 72 W. 7 lb. &
a Do. 4 " " " S 44 E. 7 lb. dist.

This mile Over Tilly 3rd rate
land Timber Oak, Beech, Poplar
and Hickory.

East On Meridian between Sec. 29 & 32.

24.70 a stream 10 lb. wide runs S.

40.00 set temp. gp. sec. post.

44.45 a stream 12 lb. wide C. S.

66.75 a stream 15 " " C. S.

80.00 Intersect N & S line 34 lb. S. of post.

This mile Over Tilly 3rd rate
land. Timber Oak Beech & Hickory.
For Correction Line Between Sec. 29 & 32. see end of Town.

West On True line (Between Sec. 30 & 31.

26.35 a Sugar 10 in. diam.

40.00 Set gp. sec. post. on the E. bank
of a Run 35 lb. wide cr. S 27 E.

from which post

a Hickory 8 in. dia. bears S 47 W. 6 lb. dist. &
a B. Oak 12 " " " N 11 W. 20 " "

54.21 a Beech 15 in. diam.

76.00 a Run 20 lb. wide S 30 E.

76.88 Intersect W. Boundary 70 lb. N. of
Holmes' post & set post con. to Sec. 30 & 31.
a Beech 8 in. dia. bears S 35 W. 3 lb. dist. &
a Sugar 12 " " " N 76 E. 15 " "

T. 12 N. R. 12 E. 2nd Mer. Ind.?

Ch. W. Over hilly 3rd rate land. Timb.
Oak, Beech & Poplar.

North Between Sections 29 & 30.

15.50 a beech 16 in. diam.

40.00 Set gr. sec. post, from which
a Beech 14 in. dia. bears N 66 W. 20 lb. dist.
a Hickory 15 " " " N 11 E. 14 " "

55.70 a Beech 15 " "

66.60 a stream 12 lb. wide runs S 90 E.

80.00 Set post Cor. to sec. 19, 20, 29 & 30, from which
a Beech 8 in. dia. bears S 40 E. 28 lb. dist.
a Do. 10 " " " N 63 E. 18 " "
Over hilly 3rd rate land. Timb.
Oak, Beech & Poplar.

East On Random betwⁿ sec. 20 & 29.

40.00 Set temp. gr. sec. post.

53.00 a stream 15 lb. wide course N 20 E.

77.72 Intersect N & S line 5 lb. N. of post.
This mile over hilly 3rd rate
land. Timb. Oak, Beech and
Poplar.

East On Random betwⁿ sec. 21 & 28.

5.00 a stream 15 lb. wide c. S. 80 E.

40.00 Set temp. gr. sec. post.

80.22 Intersect N & S line 4 lb. N. of post.
The first half of this mile over
hilly 3rd rate land. Timb. Oak,
Beech & Poplar. The last half of
it is over level 1st rate land —
Timb. Oak, Ash, Beech & Sugar.

East On Random betwⁿ sec. 22 & 27.

34.20 a beech 200 lb. wide runs N 5 E.

54. S. 12 N. R. 12 E. 2nd Mer. Ind^o

40.00 set temporary gr. sec. post.
79.43 Intersect N & S. line 42 lbs. E. of post.
The 1st half of this mile over
level Bottom land. Timber,
Bl. Ash & Sugar. The E half hilly
3rd rate land. Timber Oak Beech
and Poplar.

East On Random between Secs. 23 & 26.
40.00 Set Temp. gr. sec. post.
67.50 a creek 40 lbs. wide runs S80E.
79.94 Intersect N & S. line 18 lbs. N. of post.
This mile over hilly 3rd rate land.
Timber Oak, Beech & Sugar.

East On Random between Secs. 24 & 25.
13.85 a small stream runs S.
35.00 a Creek 60 lbs. wide S20W.
40.00 Set temp. gr. sec. post.
65.00 a stream 12 lbs. wide runs N.
80.00 Intersect E. boundary 24 lbs. N.
of post. Over hilly 3rd rate land
Timber Oak Beech, Poplar, and Gum.

West Connect line between Secs. 24 & 25.
40.00 Set gr. sec. post. from which
a Bl. Walnut 8 in. dia. bears N44W. 45 lbs.
a Water Beech 4 " " S43E. 2 lbs. dist.
80.00 Section Corner.

North Between Secs. 23 & 24.
9.85 a Beech 14 in. diam.
40.00 Set gr. sec. post. from which
a Beech 18 in. dia. bears S43E. 27 lbs. X
a Poplar 36 " " " N69W. 9 " dist.
42.63 a Do. 24 " "

T. 12 N. R. 12 E. 2nd Mer. Ind ^a 55.

80.00 Set post cor. to Sec. 13, 14, 23 & 24, fr. wh.
a Beech 10 in. dia. bears N 31 W. 32 Ch. dist.
a Hickory 10 " " " S 43 W. 19 " "
This mile over hilly 3rd rate land
Timb. Oak, Beech & Poplar.

West corner line between Sec. 23 & 20.

39.97 Set gr. sec. post from which
a Beech 11 in. dia. bears S 9 E. 26 Ch. dist. &
a Poplar 20 in. " " N 2 W. 31 " "
77.94 Section corner.

North Between Sec. 22 & 23.

5.90 a Wh. Oak 40 in. diam.
34.25 a small stream runs S.E.
36.50 a Beech 12 in. diam.
40.00 Set gr. sec. post from which
a Beech 15 in. dia. bears S 72 W. 11 Ch. dist. &
a Beech 10 " " " N 17 W. 23 " "
65.30 a Beech 18 in. diam.
68.50 stream course S.E.
80.00 Set post cor. to Sec. 14, 15, 22 & 23, fr. wh.
a Beech 16 in. dia. bears S 11 W. 45 Ch. dist. &
a Beech 10 " " " S 19 E. 10 " "
Hilly 3rd rate land. Tim. Oak Beech
and poplar.

West corner line between Sec. 22 & 27.

39.71¹/₂ Set gr. sec. post from which
a Bl. Walnut 7 in. dia. bears N 59 W. 14 Ch. dist.
a Blackberry 12 " " " S 59 W. 18 " "
77.43 Section corner.

North Between Sections 21 & 22.

28.40 a Bl. Ash 15 in. diam.
35.00 To the West Fork of White Water c. S.E.

56. T 12 N. R. 12 E. 2nd Mer. Ind. a^o
ch. 1/2

40.00 Set q. sec. post. from which
a Buckeye 10 in. dia. bears S 32 E, 12 lb. dist. &
a Hickory 15 in. dia. " S 44 W, 12 " "

55.40 a Beech 24 in. diam.

75.00 a small stream course W.

80.00 Set post cor. to Secs. 15, 16, 21 & 22, fr. wh.
a Beech 8 in. dia. bears S 45 E, 13 lb. dist. &
a Sugar 15 " " " N 67 W, 29 " "

50 ch. on the South End of this mile is
over level 1st rate land. Timb. Ash,
Beech Sugar the Remainder of it hilly
3rd rate land.

West Correct line between Secs. 21 & 28.

40.11 Set q. sec. post. from which
a Sugar 10 in. dia. bears S 23 W, 18 lb. dist. and
a Do. 9 " " " N 45 W, 35 " "

80.22 Section Corner.

North Between Secs. 20 & 21.

21.00 a Wh. Ash 24 in. diam.

40.00 Set q. sec. post. from which
an Elm 10 in. dia. bears N 72 W, 5 lb. dist. &
a Sugar 10 " " " S 86 E, 16 lb. dist.

40.25 a stream 18 lb. wide course E.

48.45 a Beech 18 in. diam.

80.00 Set post cor. to Secs. 16, 17, 20 & 21, fr. wh.
a Buckeye 8 in. dia. bears N 58 W, 11 lb. dist.
a Hickory 15 " " " S 66 E, 20 " "

This mile over hilly 3rd rate land.
Timb. Oak, Beech, Poplar. The
Remainder over level 1st rate bottom
land. Timb. Bl. Ash, Walnut, Sugar
and Elm.

West Correct line between Secs. 20 & 29.

T. D. N. Sec. 12 E. 2nd Mer. Ind. 57.

39.86 Set gr. sec. post, from which
a Beech 8 in. dia. bears N 66 E. 12 lb. dist. &
a Beech 7 " " " S 4 E. 8 lb. dist.
79.72 section corner.

West Between Sections 19 & 20.

22.76 a Beech 15 in. diam.
40.00 Set gr. sec. post, from which
a Beech 12 in. dia. bears N 17 W. 11 lb. dist. &
a Beech 5 " " " N 62 E. 20 " "
74.83 a Wh. Ash 15 in. diam.
79.75 Intersect M. Boundary 150 lb. N. of Holmes
past and set post cor. to Sec. 19 & 20.
a Sugar 9 in. dia. bears S 79 W. 17 lb. dist. &
a Sugar 8 " " " N 16 W. 14 " "
This mile over broken 2nd rate
land, Lumb. Oak, Beech, Poplar
and Sugar.

North Between Sec. 19 & 20.

7.85 a Poplar 40 in. dia.
23.25 a Stream 15 lb. wide runs E.
40.00 Set gr. sec. post from which
a Beech 20 in. dia. bears S 87 W. 23 lb. dist.
& a Bl. Oak 24 " " " S 37 E. 38 " "
63.75 a Poplar 50 in. diam.
80.00 Set post cor. to sec. 17, 18, 19 & 20, fr. wh.
a Beech 16 in. dia. bears S 25 W. 14 lb. dist. &
a Do. 6 " " " N 54 E. 27 " "
Over level 2nd rate land. Lumb.
Beech Poplar &c.

East On Meander betwⁿ Sec. 17 & 20.

24.25. a Stream 10 lb. wide N 24 W.
40.00 Set temp. gr. sec. post.
79.86 Intersect N & S. line 42 lb. N. of post.

S. 12 N. Sec. 12 E. 2nd Mer. Ind^a.

Ch. Lk. This mile over hilly 3rd land.
Timb. Oak Beech & Poplar.

East On Random between Secs. 16 & 21.

40.00 Set temp. gr. sec. post.

46.00 To the W. Fork of the White Water
250 lks. wide runs S.E.

80.10 Intersect N & S. line 14 lks. S. of post.
This mile over level 1st rate Bottom.
Beech Sugar and Ash. Spice and
undergrowth.

East On Random between Secs. 15 & 22.

40.00 Set temp. gr. sec. post.

67.50 a stream 15 lks. wide course S.E.

77.86 Intersect N & S. line 42 lks. N. of post.
Land hilly 3rd rate. Timber Oak,
Beech and Sugar.

East On Random between Secs. 14 & 23.

40.00 Set temp. gr. sec. post.

62.00 a creek 30 lks. wide runs S.

80.15 Intersect N & S. line 6 lks. N. of post.
Over hilly 3rd rate land. Timber.
Oak Beech & Poplar.

East On Random between Secs. 13 & 24.

8.00 a stream 12 lks. wide C. S.

40.00 Set temp. gr. sec. post.

74.25 a stream 15 lks. wide C. S. 8th E.

78.94 Intersect N & S. line 43 lks. N. of post.
Over hilly 3rd rate land. Timber,
Oak, Beech Poplar & Sugar.

West Correct line betwⁿ 4th Sec. 13 & 24.

37.47 set gr. sec. post. from which

59.

T. 12 N. R. 12 E. 2nd Mer. Ind. a

Ch. Lk. a Beech 8 in. dia. bears N 44 W 22 lb. dist.
78.94 a Do. 12 " " " N 61 E 27 " "
sec. cor.

North Between Sec. 13 & 14.

22.40 a Beech 15 in. dia.
30.00 a stream 12 lb. wide C. W.
40.00 set gr. sec. post, from which
a Wh. Oak 40 in. dia. bears N 61 E 18 lb. dist.
+ a Beech 8 " " " S 52 E 16 " "
63.15 a Beech 15 " "
72.00 a stream 10 lb. wide C. N 75 W.
80.00 set post cor. to Sec. 11, 12, 13 & 14. fr. wh.
a Beech 14 in. dia. bears S 52 W 34 lb. dist. &
a Beech 12 " " " N 55 W 32 " "
Over Tilly 3rd rate land. Timber
Oak Beech & Poplar.

West Corner line between Sec. 14 & 23.

40.07 1/2 set gr. sec. post, from which
a B. Oak 6 in. dia. bears N 8 E 7 lb. dist. &
a Beech 10 " " " S 74 E 17 " "
80.15 section corner.

North Between Sec. 14 & 15.

25.20 a stream 6 lb. wide runs E.
40.00 set gr. sec. post, from which
a Beech 20 in. dia. bears N 61 E 21 lb. dist.
a Beech 8 in. dia. bears S 4 E 8 " "
76.85 a Wh. Oak 36 in. dia.
80.00 set post cor. to Sec. 10, 11, 14, 15, from wh.
a Beech 20 in. dia. bears N 51 W 23 lb. dist.
a Beech 14 " " " S 22 E 44 " "
This mile Over Tilly 3rd rate
land. Timber Oak Beech & Poplar.

West Corner line between Sec. 15 & 22.

60. S. 12 N. R. 12 E. 2nd Mer. Ind. "

39.93 Set gr. sec. post. from which
a Beech 6 in. dia. bears N 54 E. 26 lb. dist. &
a Beech 7 " " " S 14 E. 16 lb. dist.
79.86 Section Corner.

North Between Sections 15 & 16.

17.85 a stream 12 lb. wide runs W.
29.25 a B. Gum 12 in diam.
40.00 Set gr. sec. post. from which
a Sugar 8 in. dia. bears S 29 W. 19 lb. dist.
& a Beech 14 in. " " N 15 E. 3 " "
70.35 aycamore 15 in. diam.
72.00 To the West Fork of White Water 195 lb.
wide C. N. W.
80.00 a Hackberry 8 in. diam. corner to
sections 9, 10, 15 & 16.
This mile over hilly 3rd rate
Land. Oak Beech & Poplar.

East On Random between sec. 11 & 14.

6.50 a stream 8 lb. wide C. N. 60 W.
40.00 Set temp. gr. sec. post.
64.00 a Gum 50 lb. wide course S.
80.20 Intersect N & S. line at post.
Timber Oak Beech & Poplar.
Over hilly 3rd rate land. Under
growth of Green briars.

East On Random between sec. 12 & 13.

40.00 Set temp. gr. sec. post.
74.20 a stream 15 lb. wide S. 30 E.
78.15 Set gr. N & S. line 34 lb. W. of post.
This mile over hilly 3rd rate land.
Timber Oak Beech & Poplar.

West Connect line between sec. 12 & 13.

S. 12 N. E. 12 E. 2nd Mer. Ind. ^{61.}

39.07 $\frac{1}{2}$ set gr. sec. post. from which
a Beech 14 in. dia. bears S 59 E. 23 lb. dist. &
a Beech 9 " " " N 17 W. 27 " "
78.15 Sec. corner

North Between Sections 11 & 12.

35.95 a Beech 12 in. dia.
40.00 set gr. sec. post. from which
a Hickory 6 in. dia. bears N 17 E. 41 lb. dist.
a Lycamore 10 in. dia. bears S 72 W. 24 " "
51.25 a Wh. Oak 26 " "
this post is in a run 35 lb. wide C. S. W. 3
42.50 a Poplar 50 in. "
80.00 set post cor. to Sec. 1, 2, 11 & 12, from which
a Wh. Oak 36 in. dia. bears S. 4 lb. dist. and
a Beech 5 " " " S 67 W. 3 " "
Over hilly 3 $\frac{1}{2}$ rate land. Pine.
Oak, Beech & Poplar.

West Correct line between Sec. 10 & 14

40.10 set gr. sec. post. from which
a Beech 10 in. dia. bears S 74 E. 19 lb. dist.
& a forked Beech 20 in. dia. N 48 W. 27 "
80.20 Section corner.

North Between Sections 10 & 11.

4.20 a Stream 12 lb. wide C. N. W.
18.50 a Beech 12 in. diam.
30.60 a Stream 12 lb. wide C. W.
40.00 set gr. sec. post from which
a Beech 14 in. dia. bears S 62 E. 18 lb. dist.
a Hickory 12 " " " S 66 W. 25 " "
40.80 a Run 25 lb. wide Course S. W.
80.00 set post cor. to Sec. 2, 3, 10 & 11, from which
a Beech 6 in. dia. bears N 13 W. 25 lb. dist. &
a Sugar 4 " " " N 8 E. 9 " "
This mile Over hilly 3 $\frac{1}{2}$ rate land.

62.

S. 12 N. N. 12 E. 2nd Mer. Lind^{er}
Ch. H.

Tim. Oak Beech & Poplar.

West correct line between Sec. 16 & 21.
40.05 Set gr. sec. post, from which
a Beech 8 in. dia. bears S 3 E. 15 lb. dist. &
a Beech 7 " " " W. 13 " "
80.10 Section corner.

North Between Sec. 16 & 17.

19.65 a Wh. Ash 41 in. dia.
40.20 Set gr. sec. post, from which
a Sugar 5 in. dia. bears S 87 E. 4 lb. dist. &
a Hickory 14 " " " N 59 W. 19 " "
54.00 a Run 30 lb. wide C. C.
72.00 a Run 60 " " C. S. E.
80.00 Set post cor. to Sec. 8, 9, 16 & 17, fr. wh.
a B. Oak 10 in. dia. bears N 28 E. 28 lb. &
a Wh. Oak 30 " " " S 82 W. 21 " dist.
This mile over hilly 3rd rate
land. Timb. Beech & Poplar.

West correct line betwⁿ Sec. 17 & 20.

Set gr. sec. post, from which
a Beech 12 in. dia. bears N 42 W. 19 lb. dist.
a Beech 15 " " " N 80 E. 18 " "
Section corner.

West Between Sections 18 & 19.

20.20 a Poplar 30 in. diam.
40.00 Set gr. sec. post, from which
a Poplar 22 in. dia. bears N 18 W. 10 lb.
a Beech 15 in. dia. bears S 29 E. 11 lb. dist.
40.45 a small stream course W.
57.00 a Run 18 lb. wide N 80 E.
78.60 a Hickory 18 in. diam.
81.60 To W. boundary at post & set post cor.

T. D. N. R. 12 E. 2nd Mer. Ind^a 63.
ch. M.

to sec. 18 & 19. from which
a Beech 10 in. dia. bears N 59 W. 19 lbs. dist. &
a Do. 12 " " " S 74 E. 27 " "
This loc. 1.48 lbs. W. of Holmesbarned.
This mile over broken 3rd rate
land. Limb: Oak, Beech & Poplar.

North Between Sec. 17 & 18

16.60 a Sugar 12 in. dia.
39.40 a Run 30 lbs. wide C.E.
40.00 set gr. sec. post. from which
an Elm 12 in. dia. bears S 81 W. 14 lbs. dist. &
a Hickory 12 " " " N 73 E. 27 " "
52.00 a Wh. Oak 36 in. diam.
80.00 set post loc. to sec. 7, 8, 17 & 18, from which
a Beech 24 in. dia. bears N 11 W. 22 lbs. dist. &
a Poplar 3 feet dia. " N 78 E. 23 " "
This mile over hilly 3rd rate land.
Limb: Oak, Beech, Poplar, & Hickory.

East On Random betwⁿ sec. 8 & 17.

40.00 set gr. sec. temp. post. in a Creek
60 lbs. wide course S. 80 E.
79.93 Intersect N & S. line 35 lbs. N. of post.
Land, the W. 1/2 of this mile over
hilly 3rd rate land. The remainder
along the bottom of a small cr.
with large hills on each side -
Limb: Beech, Oak, Poplar.

East On Random betwⁿ Sec. 9 & 16.

40.00 set temp. gr. sec. post.
80.00 Well 12 lbs. N. of post.
Land, 30 chs. on the W. End of this
mile over hilly 3rd rate land -
Remainder over level 2nd rate bottom.

64. S. 12 N. R. 12 E. Dnd Mer. Indth

ex. Sh. Timber, Oak Beech & Sugar. The timber is nearly one half destroyed by wind which renders it difficult to pass through.

East On Beacon between Secs 10 & 15.

15.00 To the West Fork of White Water,
250 ch. wide course S 5 W.

40.00 Set temp. gr. sec. post.

62.00 a small stream runs North.

79.90 Intersect N & S line 16 ch. N. of post.
Land, 50 ch. on the West end of this
mile very level bottom. Remaind.
over hilly 3rd rate land. Timber?
Oak Poplar Beech and Sugar.

West correct line between Secs 10 & 15.

39.95 Set gr. sec. post. from which
a Buckeye 8 in. dia. bears N 75 E. 13 ch. dist.
a Buckeye 6 " " " S 50 W. 7 " "

79.90 Section corner.

North Between Section 9 & 10.

26.80 a Beech 15 in. dia.

40.00 Set gr. sec. post. from which
a Beech 14 in. dia. bears S 2 E. 14 ch. dist.
a Beech 10 " " " N 69 W. 21 " "

65.00 a stream 20 ch. wide Crs. S. E.

69.50 a Sugar 15 in. diam.

80.00 Set post Cor. to Secs 3, 4, 9 & 10. fr. wh.
a Hackberry 30 in. dia. bears N 44 E. 16 ch. dist.
a Bl. Ash 10 in. dia. bears N 5 W. 16 ch. dist.
Land, This mile most of it over
broken 2nd rate land. Timber. Oak,
Beech, Poplar Sugar & Ash.

West corner line between Sec. 9 & 16.

40.00 set gr. sec. post. from which
an Elm 5 in. dia. bears N. 13 W. 13 lb. dist. &
a Blackberry 20 in. " " S. 44 W. 21 " "

80.00 Section Cor.

North Between Sections 8 & 9.

13.85 a Sugar 18 in. diam.

36.50 stream (small one) course N. W.

40.00 set gr. sec. post. from which
a Beech 5 in. dia. bears S. 74 W. 15 lb. dist. &
an Ironwood 5 in. dia. " N. 14 W. 4 " "

49.75 a Beech 12 in. diam.

80.00 set post cor. to sec. 4, 5, 8 & 9. from wh.
a Poplar 36 in. dia. bears N. 61 E. 16 lb. dist. &
a Sugar 15 " " " S. 20 E. 21 " "

Over hill 3 1/2 rate land. Timber:
Oak, Beech Poplar & Sugar.
very much destroyed by wind.

West corner line between Sec. 8 & 17.

39.96 set gr. sec. post. from which
a Sugar 15 in. dia. bears N. 70 W. 47 lb. dist.
a Do. 8 " " " S. 57 E. 41 lb. dist.

79.73 Section Corner.

West and True line between Sec. 7 & 18.

18.20 a Sugar 18 in. dia.

40.00 set gr. sec. post. from which
a B. Oak 30 in. dia. bears N. 36 E. 16 lb. dist.
a Hickory 10 " " " N. 67 W. 20 " dist.

43.50 a Run 28 lb. wide course N.

46.20 a Poplar 4 feet diam.

83.00 a Run 20 lb. wide S. 20 E.

83.65 Intersect W. Boundary an Elm 15 in.
diam cor. to sec. 7 & 18.

66. S. 12 N. No. 12 E. 2nd Mer. Ind^{ce}

ch. Lk. This mile over hilly 3rd rate land
Tumb. Oak, Beech & Poplar.
This loc is 93 Lk. N. of Holmes post.

North Between sections 7 & 8.

5.00 a Sugar 15 in. diam.

19.00 a Run 40 Lk. wide course S.E.

40.00 Set Gr. Sec. post. from which

a Sugar 9 in. dia. bears S 61 E. 22 Lk. dist.

a Beech 6 " " " S 79 W. 15 " "

69.32 a Sugar 12 " "

80.00 Set post loc to Secs. 5, 6, 7 & 8, fr. which

a Poplar 4 feet diam. bears S. 10 Lk. dist. &

a Do. 3 " " " N 61 W. 21 Lk. "

This mile over hilly 3rd rate
land. Tumb. Oak, Beech, Poplar
and Sugar.

East On Random betwⁿ Secs. 5 & 8.

3.95 a stream 8 Lk. wide course S.

40.00 Set temp. gr. Sec. post. from which

41.75 a Run 10 Lk. wide course S.E.

79.44 Intersect N & S. line 17 Lk. N. of post.

Over very hilly 3rd rate land.

Tumb. Oak Beech & Poplar.

East On Random betwⁿ Secs. 4 & 9.

40.00 Set temp. gr. Sec. post.

70.50 a Run 25 Lk. wide C. S.E.

79.86 Intersect N & S. line 53 Lk. N. of post.

This mile over hilly 3rd rate land.

Tumb. Oak Beech Poplar & Sugar.

East On Random between Secs. 3 & 10.

40.00 Set Gr. Sec. post. temp.

52.00 To the Fork of White Water cr. S.

T. 12 N. R. 12 E. 2nd Mer. Ind^a
Ch. 1st 1st

67

79.95 Intersect N & S. line 9 lb. N. of post.
This mile over level 2nd rate
land. Limb. Sugar Beech & ash.

East on Random between Sec. 2 & 11.

28.50 a stream course N.

40.00 Set temp. gr. sec. post.

62.00 a stream 10 lb. wide C. S. W.

80.24 Intersect N & S. line 15 lb. N. of post.
This mile over hilly 3rd rate land.
Limb. Oak Beech & Poplar.

East on Random between Sec. 1 & 12.

40.00 Set temp. gr. sec. post.

60.40 stream 8 lb. wide C. S. W.

75.34 Intersect N & S. line 31 lb. N. of Holmes
post. This mile over hilly 3rd rate
land. Limb. Beech Oak & Poplar.
note, There is a crook in the East Rdy.
of this Township of about one degree
and 40' which was not discovered
until I ran through between
sections 1 & 12. I was particular
when I began the Township, &
found its bounds ran on a variation
of 4th 15 I here find it runs at 5th 55.

West Correct line between Sec. 1 & 12.

37.67 Set gr. sec. post. from which
a Beech 14 in. dia. bears N 57th E. 7 lb. dist.
a Do. 6 " " " S 65th W. 19 " "

75.34 Section Corner.

North Between Sections 1 & 2.

19.50 a Beech 15 in. diam.

40.00 Set gr. sec. post. from which

68.

S. 19 N. N. 12 E. 2nd Mer. Ind^o
Chs. 40.

- a Wh. Ash 12 in. dia. bears N 57 W. 15 Chs. dist.
 & a Beech 12 " " " S 88 E. 20 " "
 63.12 a Poplar 2 feet in diam.
 76.00 a stream 15 Chs. wide E. N. E. ^{481 Chs. of stream is past}
 79.35 Intersect Town Boundary and set
 post cor. to Secs. 1 & 2, from which
 a Beech 8 in. dia. bears N 37 E. 21 Chs. dist.
 a B. Oak 14 " " " N 40 W. 20 " "
 This mile over hilly 3rd rate
 and Limb. with Oak Beech and
 Poplar.

West corner line between Secs. 2 & 11.

- 40.12 Set gr. Sec. post. from which
 a Beech 12 in. dia. bears N 23 E. 4 Chs. dist. &
 a Poplar 3 feet " " N 60 W. 18 " "
 80.24 Section cor.

North Between Section 2 & 3.

- 7.60 a Sugar 12 in. diam.
 37.15 a stream 15 Chs. wide E. W.
 40.00 Set gr. Sec. post. from which
 a Beech 15 in. dia. bears S 19 E. 16 Chs. dist.
 a Beech 8 " " " N 35 W. dist.
 47.24 a Sugar 14 " "
 80.50 Intersect N. Boundary 387 Chs. East
 of post & set post cor. to Secs. 2 & 3
 from which
 a Beech 14 in. dia. bears N 66 W. 27 Chs. dist.
 a Bl. Ash 18 " " " S 60 E. 7 " "
 Land. 55 Chs. On the S. End of this
 mile over hilly 3rd rate land.
 Lim. Oak & Beech & Poplar. Remains?
 Over 1st rate bottom land.

West corner line between Secs. 3 & 10.

69.

S. 12 N. E. 12 E. 2nd Mer. Ind^a

39.97th set gr. sec. post. from which
a Water Beech 4 in. dia. bears S 54 W. 5th dist.
a Do. 5 " " " N 74 E. 16th dist.
79.95 Section corner.

North Between Sec. 3 & 4.

19.25 a Hackberry 18 in. dia.
40.00 set gr. sec. post. from which
a Sugar 10 in. dia. bears S 44 E. 17th dist.
a Sugar 10 " " " N 7 E. 30 " "
63.80 a Beech 12 in. diam.
69.20 a stream 10th wide runs East.
74.75 a stream 18 " " "
80.15 Intersect N. Boundary 396th E. of Mr.
Holmes' post, and set post corner to
Sec. 3 & 4, from which
a Beech 10 in. dia. bears S 21 E. 15th dist.
a Do. 10 " " " N 64 W. 8 " "
This mile Over level 2nd rate
land Timber: Beech, Oak, Poplar
and some Sugar.

West corner line between Sec. 4 & 9.

39.93 set gr. sec. post. from which
a Beech 9 in. dia. bears N 66 W. 20th dist.
a Do. 8 " " " N 2 E. 13 " "
79.86 Section corner.

North On Line between Sec. 4 & 5.

39.25 stream 15th wide N 30 E.
40.00 set gr. sec. post. from which
a Sugar 15 in. dia. bears N 51 E. 22th dist.
a Do. 12 " " " N 19 W. 29 " "
44.00 a Wh. Oak 15 in. diam.
56.50 a stream course East.
71.50 a Dr. 15th wide N 15 E.

S. 12 N. E. 12 E. 2nd Mer. Ind. a

79.20 Intersect N. Boundary 475 lks. E. of post.
 & set post cor. to sec. 4 & 5, from which
 a Beech 20 in. dia. bears S 49 E. 7 lks. dist. &
 a Sugar 15 " " " S 49 E. 20 " "
 This mile over very hilly 3rd rate
 land. Timber: Oak, Beech Poplar
 and Sugar.

West corner line betwⁿ sec. 5 & 8.

39.72 set gr. sec. post, from which
 a Sugar 5 in. dia. bears N 63 W. 15 lks. dist.
 & a Do. 6 " " " S 10 E. 18 " "

79.44 Section corner.

West Between sections 6 & 7.

14.30 a Beech 15 in. diam.

31.00 a Run 50 lks. wide E. & S.

40.00 set gr. sec. post, from which
 a Beech 12 in. dia. bears N 30 W. 14 lks. dist. &
 a Do. 08 " " " S 6 E. 17 " "

44.70 a Do. 20 " "

73.50 a small stream course S. E.

85.37 Intersect W. Boundary 31 lks. N. of
 Holman's post & set post corner to
 sections 6 & 7. from which
 a Wh. Ash 6 in. dia. bears N 49 W. 14 lks. dist. &
 a Sugar 12 " " " S 60 E. 39 " "
 This mile over hilly 3rd rate
 land, Timber: Beech Oak & Poplar.

North Between Sec. 5 & 6.

4.00 a stream course S. E.

15.40 a Beech 18 in. diam.

40.00 set gr. sec. post, from which
 a Beech 8 in. dia. bears S 80 E. 7 lks. dist.
 & a Poplar 4 feet " " " N 18 E. 17 " "

T. 12 N. R. 12 E. 2nd Mer. Ind^a

58.60 a Poplar 36 in. diam.

79.76 Intersect N. Boundary. 508 lbs. E. of
post & set post loc. to sec. 5 & 6.

From which

a Poplar 4 feet dia. bears N 64 W. 25 lbs. dist.
& a Beech 6 in. dia. " S 50 W 11 " "

This mile over hilly 3rd rate
land. Timber: Beech Oak Poplar.

omitted in proper place.

West on correct line betwⁿ sec. 29 & 32.

40.00 Set q. sec. post, from which

a Beech 15 in. dia. bears N 55 W. 25 lbs. dist. and

a Do. 10 " " " S 1 W. 15 " "

80.00 section corner. Surveyed by W^m Ludlow, D.S.

I Certify that the foregoing trans-
cripts of the field notes of Township
N. 12 North, in Range 12 East 2nd
Meridian in Indiana has been
compared with the Original in
this office and found to be correct.

Surveyor General's Office

Detroit. Oct - 31 1849

Lucius Lyon,
Ad. Genl.